



Fog Kote Base A

Safety Data Sheet

SECTION 1: Identification

1.1. Identification

Product name : Fog Kote Base A

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Wall Coating

1.3. Supplier

Sacramento Stucco Co.
1550 Parkway Blvd.
West Sacramento, CA 95691
T 916-372-7442 - F 916-372-4836

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Corr. 1B	H314
Eye Dam. 1	H318
Carc. 1A	H350
STOT RE 1	H372

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

Fog Kote Base A

Safety Data Sheet

P310 - Immediately call a poison center or doctor.
P314 - Get medical advice/attention if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Cement, portland, chemicals	CAS-No.: 65997-15-1	27.5 – 52.25
Calcium hydroxide	CAS-No.: 1305-62-0	26.1
Magnesium hydroxide	CAS-No.: 1309-42-8	17.1
Iron oxide (Fe ₂ O ₃)	CAS-No.: 1309-37-1	0 – 8.25
Calcium sulfate	CAS-No.: 7778-18-9	0 – 5.5
Magnesium oxide (MgO)	CAS-No.: 1309-48-4	0.45 – 3.2
Limestone	CAS-No.: 1317-65-3	0 – 2.75
Calcium oxide	CAS-No.: 1305-78-8	0 – 2.75
Quartz	CAS-No.: 14808-60-7	0 – 2.75
Dolomite (CaMg(CO ₃) ₂)	CAS-No.: 16389-88-1	0.45

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person immediately to fresh air. Consult a physician as necessary.
First-aid measures after skin contact : Wash affected area with mild soap and water. If irritation persists, get medical attention.
First-aid measures after eye contact : Flush immediately with water for at least 15 minutes. Do not rub eyes. If irritation persists get medical attention.
First-aid measures after ingestion : Dilute by drinking large quantities of water. If discomfort persists, consult a physician.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Excessive exposure to high concentration of dust may cause irritation to the respiratory tract.
Symptoms/effects after skin contact : Causes severe skin burns.
Symptoms/effects after eye contact : Causes serious eye damage.
Symptoms/effects after ingestion : Not considered a likely route of entry under normal product use conditions. Ingestion of harmful amounts of dust may cause nausea or vomiting.

Fog Kote Base A

Safety Data Sheet

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : None.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.
Explosion hazard : None known.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Clean up using dustless methods (water or vacuum) to minimize generation and distribution of respirable particles. Collect material in appropriate containers for recovery and recycling or disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust. Use proper work practices and adequate ventilation with dust collection to maintain airborne levels of silica below exposure limits.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Avoid breakage of bagged material or spills of bulk material.

Fog Kote Base A

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Cement, portland, chemicals (65997-15-1)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	1 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
ACGIH® chemical category	Not Classifiable as a Human Carcinogen

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
--------------	--

USA - IDLH - Occupational Exposure Limits

IDLH	5000 mg/m ³
------	------------------------

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
---------------	--

Calcium sulfate (7778-18-9)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	10 mg/m ³ (inhalable particulate matter)
-----------------	---

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
--------------	--

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
---------------	--

Iron oxide (Fe₂O₃) (1309-37-1)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	5 mg/m ³ (respirable particulate matter)
ACGIH® chemical category	Not Classifiable as a Human Carcinogen

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	10 mg/m ³ (fume) 15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
--------------	---

USA - IDLH - Occupational Exposure Limits

IDLH	2500 mg/m ³ (dust and fume)
------	--

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	5 mg/m ³ (dust and fume)
---------------	-------------------------------------

Limestone (1317-65-3)

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
--------------	--

Fog Kote Base A

Safety Data Sheet

Limestone (1317-65-3)

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
---------------	--

Magnesium oxide (MgO) (1309-48-4)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	10 mg/m ³ (inhalable particulate matter)
ACGIH® chemical category	Not Classifiable as a Human Carcinogen

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	15 mg/m ³ (fume, total particulate)
--------------	--

USA - IDLH - Occupational Exposure Limits

IDLH	750 mg/m ³ (fume)
------	------------------------------

Calcium oxide (1305-78-8)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	2 mg/m ³
-----------------	---------------------

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	5 mg/m ³
--------------	---------------------

USA - IDLH - Occupational Exposure Limits

IDLH	25 mg/m ³
------	----------------------

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	2 mg/m ³
---------------	---------------------

Quartz (14808-60-7)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	0.025 mg/m ³ (respirable particulate matter)
ACGIH® chemical category	Suspected Human Carcinogen

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	50 µg/m ³
--------------	----------------------

USA - IDLH - Occupational Exposure Limits

IDLH	50 mg/m ³ (respirable dust)
------	--

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	0.05 mg/m ³ (respirable dust)
---------------	--

Calcium hydroxide (1305-62-0)

USA - ACGIH - Occupational Exposure Limits

ACGIH® TLV® TWA	5 mg/m ³
-----------------	---------------------

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
--------------	--

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	5 mg/m ³
---------------	---------------------

Fog Kote Base A

Safety Data Sheet

8.2. Appropriate engineering controls

Appropriate engineering controls : Use sufficient local exhaust to reduce the levels of respirable silica to below exposure limits.
Minimize the build-up of dust on walls, floors, equipment, and other horizontal surfaces.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Use neoprene or rubber gloves

Eye protection:

Use safety glasses, goggles, or face shield under circumstances where particles could cause eye injury.

Skin and body protection:

Wear suitable working clothes

Respiratory protection:

If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: Cementitious white
Odor	: None
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Particle characteristics	: No data available

9.2. Other information

No additional information available

Fog Kote Base A

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Avoid dust generation.

10.5. Incompatible materials

Contact with powerful oxidizing agents such as fluorine, chlorine, trifluoride, manganese trioxide, oxygen difluoride, may cause fires.

10.6. Hazardous decomposition products

Not determined.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Calcium sulfate (7778-18-9)

LD50 oral rat	> 3000 mg/kg
---------------	--------------

Iron oxide (Fe2O3) (1309-37-1)

LD50 oral rat	> 10000 mg/kg
---------------	---------------

Magnesium oxide (MgO) (1309-48-4)

LD50 oral rat	3870 mg/kg
---------------	------------

Calcium oxide (1305-78-8)

LD50 oral rat	500 mg/kg
---------------	-----------

ATE US (oral)	500 mg/kg
---------------	-----------

Calcium hydroxide (1305-62-0)

LD50 oral rat	7340 mg/kg
---------------	------------

ATE US (oral)	7340 mg/kg
---------------	------------

Magnesium hydroxide (1309-42-8)

LD50 oral rat	8500 mg/kg
---------------	------------

ATE US (oral)	8500 mg/kg body weight
---------------	------------------------

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitization : Not classified

Fog Kote Base A

Safety Data Sheet

Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

Iron oxide (Fe₂O₃) (1309-37-1)

IARC group	3 - Not classifiable
------------	----------------------

Quartz (14808-60-7)

IARC group	1 - Carcinogenic to humans
------------	----------------------------

National Toxicology Program (NTP) Status	Known Human Carcinogens
--	-------------------------

In OSHA Hazard Communication Carcinogen list	Yes
--	-----

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Calcium sulfate (7778-18-9)

LC50 - Fish [1]	2980 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 - Fish [2]	> 1970 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Calcium oxide (1305-78-8)

LC50 - Fish [1]	1070 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
-----------------	---

12.2. Persistence and degradability

Fog Kote Base A

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Cement, portland, chemicals (65997-15-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Calcium sulfate (7778-18-9)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Iron oxide (Fe₂O₃) (1309-37-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Limestone (1317-65-3)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Magnesium oxide (MgO) (1309-48-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Calcium oxide (1305-78-8)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Quartz (14808-60-7)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Fog Kote Base A

Safety Data Sheet

Calcium hydroxide (1305-62-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Magnesium hydroxide (1309-42-8)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Dolomite (CaMg(CO₃)₂) (16389-88-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

Calcium oxide (1305-78-8)

BCF - Fish [1]	(no bioaccumulation)
----------------	----------------------

Calcium hydroxide (1305-62-0)

BCF - Fish [1]	(no bioaccumulation)
----------------	----------------------

Dolomite (CaMg(CO₃)₂) (16389-88-1)

BCF - Fish [1]	(no known bioaccumulation)
----------------	----------------------------

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the ozone layer : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

UN-No. (DOT)	: Not applicable
UN-No. (TDG)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

Fog Kote Base A

Safety Data Sheet

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable

Packing group (TDG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

Not applicable

TDG

Not applicable

IMDG

Not applicable

IATA

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Cement, portland, chemicals	65997-15-1	Present	Active	
Calcium sulfate	7778-18-9	Present	Active	
Iron oxide (Fe ₂ O ₃)	1309-37-1	Present	Active	
Limestone	1317-65-3	Present	Active	
Magnesium oxide (MgO)	1309-48-4	Present	Active	
Calcium oxide	1305-78-8	Present	Active	
Quartz	14808-60-7	Present	Active	
Calcium hydroxide	1305-62-0	Present	Active	
Magnesium hydroxide	1309-42-8	Present	Active	
Dolomite (CaMg(CO ₃) ₂)	16389-88-1	Present	Active	

Fog Kote Base A

Safety Data Sheet

15.2. US State regulations

Component	State or local regulations
Cement, portland, chemicals(65997-15-1)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Calcium sulfate(7778-18-9)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Iron oxide (Fe ₂ O ₃)(1309-37-1)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Limestone(1317-65-3)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Magnesium oxide (MgO)(1309-48-4)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Calcium oxide(1305-78-8)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Quartz(14808-60-7)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
Calcium hydroxide(1305-62-0)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Date of Issue: 7/9/2026

Date of Previous Issue: -

Version: 1

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.