

	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: Foam Kote
Other means of identification	: Foam Kote (Medium and Fine)
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Wall Coating
1.3. Details of the supplier of the sa	fety data sheet
Sacramento Stucco Co.	
1550 Parkway Blvd. West Sacramento, CA 95691	
T 916-372-7442 - F 916-372-4836	
1.4. Emergency telephone number	
No additional information available	
SECTION 2: Hazards identification	on la constant de la
2.1. Classification of the substance	
GHS US classification	
Acute Tox. 4 (Oral) H302	
Skin Irrit. 2 H315	
Eye Dam. 1 H318	
Carc. 1A H350	
Full text of hazard classes and H-statements	s : see section 16
2.2. Label elements	
GHS US labeling	
Hazard pictograms (GHS US)	CHS05 CHS07 CHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: H302 - Harmful if swallowed
	H315 - Causes skin irritation
	H318 - Causes serious eye damage
Pressutionary statements (CUS US)	H350 - May cause cancer
Precautionary statements (GHS US)	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention. P310 - Immediately call a poison center or doctor P321 - Specific treatment (see supplemental first aid instruction on this label) P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
2.3. Other hazards	

No additional information available

Safety Data Sheet

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Not applicable

3.2. **Mixtures GHS US classification** Name **Product identifier** % Quartz (CAS-No.) 14808-60-7 60 - 71.14 Acute Tox. 4 (Oral), H302 Carc. 1A, H350 Cement, portland, chemicals (CAS-No.) 65997-15-1 15.6 - 28.5 Not classified Limestone (CAS-No.) 1317-65-3 <= 7.5 Not classified Calcium magnesium hydroxide (CaMg(OH)4) (CAS-No.) 39445-23-3 <= 5 Not classified Calcium magnesium hydroxide oxide (CaMg(OH)2O) (CAS-No.) 58398-71-3 <= 5 Not classified Kaolin (CAS-No.) 1332-58-7 <= 5 Not classified Calcium hydroxide (CAS-No.) 1305-62-0 <= 3 Not classified Gypsum (Ca(SO4).2H2O) (CAS-No.) 13397-24-5 Not classified 1 - 2.1 Copolymer of vinyl acetate and ethylene with mineral additives <= 2 Comb. Dust and protective colloid Silica, amorphous (CAS-No.) 7631-86-9 <= 1 Not classified Formaldehyde-naphthalenesulfonic acid polymer sodium salt (CAS-No.) 9084-06-4 <= 0.98 Not classified Sodium sulfate (CAS-No.) 7757-82-6 <= 0.12 Not classified Water (CAS-No.) 7732-18-5 <= 0.1 Not classified

Full text of H-phrases: see section 16

SECTION 4: First aid measures **Description of first aid measures** 4.1. First-aid measures after inhalation : Remove person immediately to fresh air. Consult a physician as necessary. : Wash affected area with mild soap and water. If irritation persists, get medical attention. First-aid measures after skin contact First-aid measures after eye contact : Flush immediately with water for at least 15 minutes. Do not rub eyes. If irritation persists get medical attention. First-aid measures after ingestion : Dilute by drinking large quantities of water. If discomfort persists, consult a physician. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries after inhalation : May cause respiratory stress from particulate inhalation. Symptoms/injuries after skin contact : Causes skin irritation. Contact with dry product on wet skin or contact with moist or wet product may cause more severe effects including thickening, cracking or fissuring of the skin. Prolonged contact can cause severe skin damage in the form of caustic chemical burns.

chemical burns and blindness.

Symptoms/injuries after eye contact

Symptoms/injuries after ingestion Not considered a likely route of entry under normal product use conditions. Ingestion of harmful amounts of dust may cause nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: May form combustible dust concentrations in air.
Explosion hazard	: None known.
5.3. Advice for firefighters	
Protection during firefighting	: Firefighters should wear full protective gear.

Causes eye irritation. Eye contact with dry product or splashes of wet product may cause

Safety Data Sheet

SECTION 6: Accide	ntal release measures	
	utions, protective equipment and emergency pr	ocedures
6.1.1. For non-emerge	ency personnel	
No additional information a	vailable	
6.1.2. For emergency	responders	
No additional information a	vailable	
6.2. Environmental	precautions	
Avoid release to the enviro	nment.	
6.3. Methods and m	aterial for containment and cleaning up	
For containment	: Collect spillage.	
Methods for cleaning up	: Clean up immediately us federal regulations.	ing shovel or scoop. Dispose of in accordance with local, state, and
6.4. Reference to ot	her sections	
No additional information a	vailable	
SECTION 7: Handlin		
7.1. Precautions for	v	
Precautions for safe handli		and skin. Keep in dry areas. Avoid inhalation of dust. Prolonged can cause serious, potentially irreversible skin or eye damage in the
7.2. Conditions for	safe storage, including any incompatibilities	
Storage conditions	: Keep in closed, air-tight	containers. Do not store in close proximity to acids.
7.3. Specific end us	e(s)	
No additional information a	vailable	
SECTION 8: Exposu	re controls/personal protection	
8.1. Control parame	ters	
Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	50 μg/m³
IDLH	US IDLH (mg/m³)	50 mg/m ³ (respirable dust)
NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m ³ (respirable dust)
Copolymer of vinyl ace	tate and ethylene with mineral additives and pro	otective colloid
Not applicable	· · ·	
Cement, portland, chen	nicals (65997-15-1)	
ACGIH	ACGIH TWA (mg/m³)	1 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
IDLH	US IDLH (mg/m ³)	5000 mg/m ³
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Limestone (1317-65-3)		
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USHA		ů (i)
NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
	. , ,	10 mg/m³ (total dust)

Safety Data Sheet

Gypsum (Ca(SO4)	.2H2O) (13397-24-5)	
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Formaldehyde-nap	ohthalenesulfonic acid polymer sodium salt (9084-06	5-4)
Not applicable		
Sodium sulfate (77	/57-82-6)	
Not applicable		
Water (7732-18-5)		
Not applicable		
Calcium magnesiu	ım hydroxide (CaMg(OH)4) (39445-23-3)	
Not applicable		
Calcium magnesiu	m hydroxide oxide (CaMg(OH)2O) (58398-71-3)	
Not applicable		
Calcium hydroxide	≥ (1305-62-0)	
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m³
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m³
Kaolin (1332-58-7)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
Silica, amorphous	(7631-86-9)	
IDLH	US IDLH (mg/m ³)	3000 mg/m ³
NIOSH	NIOSH REL (TWA) (mg/m ³)	6 mg/m ³

8.2. Exposure controls	
Appropriate engineering controls	: General (mechanical) room ventilation is expected to be satisfactory for normal handling.
Hand protection	: Use neoprene or rubber gloves.
Eye protection	: In case of dust production: protective goggles.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: None required under normal product handling conditions.

SECTION 9: Physical and	chemical properties	
9.1. Information on basic p	physical and chemical properties	
Physical state	: Solid	
Appearance	: Powder.	
Color	: Dark gray	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
03/21/2019	EN (English US)	4/1

Safety Data Sheet

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: Miscible
_og Pow	: No data available
_og Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivit	v
10.1. Reactivity	<i>}</i>
No additional information available	
10.2. Chemical stability	torogo conditiono
The product is stable at normal handling and st	
10.3. Possibility of hazardous reactions	
Will not occur.	
10.4. Conditions to avoid	
A shortened shelf life is expected with exposure	e to air.
10.5. Incompatible materials	
Not determined.	
10.6. Hazardous decomposition produc	ts
None.	
SECTION 11: Toxicological information	ation
11.1. Information on toxicological effect	15
	. Not allocation
Acute toxicity	: Not classified
Foam Bonders	
ATE US (oral)	702.839 mg/kg body weight
Quartz (14808-60-7)	
ATE US (oral)	500 mg/kg
Formaldehyde-naphthalenesulfonic acid p LD50 oral rat	3800 mg/kg
Sodium sulfate (7757-82-6)	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 4 g/kg
Water (7732-18-5)	
LD50 oral rat	> 90 ml/kg
Calcium hydroxide (1305-62-0)	
LD50 oral rat	7340 mg/kg

Safety Data Sheet

Calcium hydroxide (1305-62-0)	
ATE US (oral)	7340 mg/kg
Kaolin (1332-58-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
Silica, amorphous (7631-86-9)	
LD50 oral rat	7900 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2.2 mg/l (Exposure time: 1 h)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes

Silica, amorphous (7631-86-9)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Sodium sulfate (7757-82-6)	
LC50 fish 1	13500 - 14500 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	2564 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 6800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Silica, amorphous (7631-86-9)	
LC50 fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Calcium hydroxide (1305-62-0)	
BCF fish 1	(no bioaccumulation)
Silica, amorphous (7631-86-9)	
BCF fish 1	(no bioaccumulation expected)

12.4. Mobility in soil

No additional information available

Safety Data Sheet

12.5. Other adverse effects		
Effect on the ozone layer	: No additional information available	
SECTION 13: Disposal considerations	3	
13.1. Waste treatment methods		
Waste disposal recommendations	: Dispose of contents/container in accordance with local/regional/national/international	
	regulations.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
Not a dangerous good as defined in transport regulations		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Quartz (14808-60-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Cement, portland, chemicals (65997-15-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Limestone (1317-65-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Formaldehyde-naphthalenesulfonic acid polymer sodium salt (9084-06-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
Sodium sulfate (7757-82-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Calcium magnesium hydroxide (CaMg(OH)4)	(39445-23-3)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory	
Calcium magnesium hydroxide oxide (CaMg	OH)2O) (58398-71-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Calcium hydroxide (1305-62-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Kaolin (1332-58-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Silica, amorphous (7631-86-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2 LIS State regulations		

15.2. US State regulations

Quartz (14808-60-7)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Cement, portland, chemicals (65997-15-1)

- U.S. Massachusetts Right To Know List U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Safety Data Sheet

Limestone (1317-65-3)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Gypsum (Ca(SO4).2H2O) (13397-24-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Sodium sulfate (7757-82-6)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List

Calcium hydroxide (1305-62-0)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Kaolin (1332-58-7)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Silica, amorphous (7631-86-9)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 1A	Carcinogenicity Category 1A
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H350	May cause cancer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product